

# Massachusetts School Immunization Requirements 2025–2026<sup>§</sup>

Massachusetts school immunization requirements are created under the authority of [105 CMR 220.000: Immunization of Students Before Admission to School](#).

**Requirements apply to all students, including individuals from other countries attending or visiting classes or educational programs as part of an academic visitation or exchange program. Requirements apply to all students in every grade, even if they are over 18 years of age. Doses that satisfy ACIP recommendations [as adopted by the CDC on October 24, 2024](#) also satisfy school requirements.**

## Childcare/Preschool<sup>¶†</sup>

Attendees <2 years should be immunized for their age according to the [2025 ACIP Recommended Immunization Schedule](#). Requirements listed in the table below apply to all attendees ≥2 years. These requirements also apply to children in preschool classes called K0 or K1.

Hib	<b>1–4 doses;</b> number of doses is determined by vaccine product and age the series begins
DTaP	<b>4 doses</b>
Polio	<b>3 doses</b>
Hepatitis B	<b>3 doses;</b> laboratory evidence of immunity acceptable
MMR	<b>1 dose;</b> must be given on or after the 1 <sup>st</sup> birthday; laboratory evidence of immunity acceptable
Varicella	<b>1 dose;</b> must be given on or after the 1 <sup>st</sup> birthday; a reliable history of chickenpox* or laboratory evidence of immunity acceptable

## Grades Kindergarten–6<sup>¶†</sup>

In ungraded classrooms, Kindergarten requirements apply to all students ≥5 years.

DTaP/Tdap	<b>5 doses;</b> 4 doses are acceptable if the fourth dose is given on or after the 4 <sup>th</sup> birthday; DT is only acceptable with a letter stating a medical contraindication to DTaP
Polio	<b>4 doses;</b> fourth dose must be given on or after the 4 <sup>th</sup> birthday and ≥6 months after the previous dose or a fifth dose is required; 3 doses are acceptable if the third dose is given on or after the 4 <sup>th</sup> birthday and ≥6 months after the previous dose
Hepatitis B	<b>3 doses;</b> laboratory evidence of immunity acceptable
MMR	<b>2 doses;</b> first dose must be given on or after the 1 <sup>st</sup> birthday, and second dose must be given ≥28 days after first dose; laboratory evidence of immunity acceptable
Varicella	<b>2 doses;</b> first dose must be given on or after the 1 <sup>st</sup> birthday and second dose must be given ≥28 days after first dose; a reliable history of chickenpox* or laboratory evidence of immunity acceptable

<sup>§</sup> Address questions about enforcement with your legal counsel. School requirements are enforced at the local level.

<sup>¶</sup> Meningococcal vaccine requirements (see Grades 7–10 and 11–12) also apply to residential students in Grades Preschool through 8 if the school combines these grades in the same school as students in Grades 9–12.

<sup>†</sup> Medical exemptions (statement from a physician stating that a vaccine is medically contraindicated for a student) must be renewed annually at the start of the school year, and religious exemptions (statement from a student or parent/guardian, if the student is <18 years of age, stating that a vaccine is against sincerely held religious beliefs), should be renewed annually at the start of the school year.

\* A reliable history of chickenpox includes a diagnosis of chickenpox or interpretation of parent/guardian description of chickenpox by a physician, nurse practitioner, physician assistant, or designee.

See the following pages for Grades 7–10, Grades 11–12, and College (Postsecondary Institutions)

# Massachusetts School Immunization Requirements 2025–2026<sup>§</sup>

Requirements apply to all students, including individuals from other countries attending or visiting classes or educational programs as part of an academic visitation or exchange program. Requirements apply to all students in every grade, even if they are over 18 years of age. Doses that satisfy ACIP recommendations [as adopted by the CDC on October 24, 2024](#) also satisfy school requirements.

## Grades 7–12<sup>†</sup>

In ungraded classrooms, Grade 7 requirements apply to all students ≥12 years.

Tdap	<b>1 dose;</b> and history of DTaP primary series or age-appropriate catch-up vaccination; Tdap given at ≥7 years may be counted, but a dose at age 11–12 is recommended if Tdap was given earlier as part of a catch-up schedule; Td or Tdap should be given if it has been ≥10 years since last Tdap
Polio	<b>4 doses;</b> fourth dose must be given on or after the 4 <sup>th</sup> birthday and ≥6 months after the previous dose or a fifth dose is required; 3 doses are acceptable if the third dose is given on or after the 4 <sup>th</sup> birthday and ≥6 months after the previous dose
Hepatitis B	<b>3 doses;</b> laboratory evidence of immunity acceptable; 2 doses of Heplisav-B given on or after 18 years of age are acceptable
MMR	<b>2 doses;</b> first dose must be given on or after the 1 <sup>st</sup> birthday, and second dose must be given ≥28 days after first dose; laboratory evidence of immunity acceptable
Varicella	<b>2 doses;</b> first dose must be given on or after the 1 <sup>st</sup> birthday and second dose must be given ≥28 days after first dose; a reliable history of chickenpox* or laboratory evidence of immunity acceptable
Meningococcal Grade 7–10	<b>1 dose;</b> this dose must be given on or after the 10 <sup>th</sup> birthday. Meningococcal conjugate vaccine, MenACWY (formerly MCV4) and MenABCWY fulfill this requirement; monovalent meningococcal B (MenB) vaccine is not required and does not meet this requirement
Meningococcal Grade 11–12 <sup>‡</sup>	<b>2 doses;</b> second dose MenACWY (formerly MCV4) must be given on or after the 16th birthday and ≥ 8 weeks after the previous dose; 1 dose is acceptable if it was given on or after the 16th birthday. Meningococcal conjugate vaccine, MenACWY (MCV4) and MenABCWY fulfill this requirement; monovalent meningococcal B (MenB) vaccine is not required and does not meet this requirement.

<sup>§</sup> Address questions about enforcement with your legal counsel. School requirements are enforced at the local level.

<sup>†</sup> Medical exemptions (statement from a physician stating that a vaccine is medically contraindicated for a student) must be renewed annually at the start of the school year, and religious exemptions (statement from a student or parent/guardian, if the student is <18 years of age, stating that a vaccine is against sincerely held religious beliefs), should be renewed annually at the start of the school year.

\* A reliable history of chickenpox includes a diagnosis of chickenpox or interpretation of parent/guardian description of chickenpox by a physician, nurse practitioner, physician assistant, or designee.

<sup>‡</sup> Students who are 15 years old in Grade 11 are in compliance until they turn 16 years old.

See the following page for College (Postsecondary Institutions)

# Massachusetts School Immunization Requirements 2025–2026<sup>§</sup>

Requirements apply to all students, including individuals from other countries attending or visiting classes or educational programs as part of an academic visitation or exchange program. Requirements apply to all students in every grade, even if they are over 18 years of age. Doses that satisfy ACIP recommendations [as adopted by the CDC on October 24, 2024](#) also satisfy school requirements.

## College (Postsecondary Institutions)<sup>\*\*†</sup>

Requirements apply to all full-time undergraduate and graduate students under 30 years of age and all full- and part-time health science students. Meningococcal requirements apply to the group specified in the table below.

Tdap	<b>1 dose;</b> and history of a DTaP primary series or age-appropriate catch-up vaccination; Tdap given at ≥7 years may be counted, but a dose at age 11-12 is recommended if Tdap was given earlier as part of a catch-up schedule; Td or Tdap should be given if it has been ≥10 years since Tdap
Hepatitis B	<b>3 doses;</b> laboratory evidence of immunity acceptable; 2 doses of Heplisav-B given on or after 18 years of age are acceptable
MMR	<b>2 doses;</b> first dose must be given on or after the 1 <sup>st</sup> birthday, and second dose must be given ≥28 days after first dose; laboratory evidence of immunity acceptable; birth in the U.S. before 1957 acceptable only for non-health science students
Varicella	<b>2 doses;</b> first dose must be given on or after the 1 <sup>st</sup> birthday and second dose must be given ≥28 days after the first dose; a reliable history of chickenpox* or laboratory evidence of immunity acceptable; birth in the U.S. before 1980 acceptable only for non-health science students
Meningococcal	<b>1 dose;</b> 1 dose MenACWY (formerly MCV4) required for all full-time students 21 years of age or younger; the dose of MenACWY vaccine must have been received on or after the student's 16 <sup>th</sup> birthday; doses received at younger ages do not count towards this requirement. Meningococcal conjugate vaccine, MenACWY (MCV4) and MenABCWY fulfill this requirement; monovalent meningococcal B (MenB) vaccine is not required and does not meet this requirement. Students may decline MenACWY vaccine after they have read and signed the <a href="#">MDPH Meningococcal Information and Waiver Form</a> provided by their institution.

<sup>§</sup> Address questions about enforcement with your legal counsel. School requirements are enforced at the local level.

<sup>\*\*</sup> The immunization requirements apply to all students who attend any classes or activities on campus, even once. If all instruction and activities are remote and the student will never be on campus in person, the requirements would not apply. Should a student physically return to campus, they would need to comply with this requirement.

<sup>†</sup> Medical exemptions (statement from a physician stating that a vaccine is medically contraindicated for a student) must be renewed annually at the start of the school year, and religious exemptions (statement from a student or parent/guardian, if the student is <18 years of age, stating that a vaccine is against sincerely held religious beliefs), should be renewed annually at the start of the school year.

\* A reliable history of chickenpox includes a diagnosis of chickenpox or interpretation of parent/guardian description of chickenpox by a physician, nurse practitioner, physician assistant, or designee.